

PRODUCT BRIEF


Zero-footprint RTOS event tracing with Rapi**Task**<sup>Zero</sup>

## Product brief: Rapi**Task**<sup>Zero</sup>

# Rapi**Task** Zero

## How can Rapi**Task**<sup>Zero</sup> help you?

Rapi**Task**<sup>Zero</sup> lets you understand the scheduling behavior of critical software without needing to make any modifications to, or even have access to, your project's source code.



Results displayed in Rapi**Task**<sup>Zero</sup> user interface

#### **Benefits**

Understand the scheduling behavior of critical software without needing:

- · Any instrumentation.
- Project source code.
- Any modification to your build system.

## Rapi**Task**<sup>Zero</sup> use cases


- · Understand system scheduling behavior.
- · Locate rare timing events.
- · Understand system capacity issues.

## How does Rapi**Task**<sup>Zero</sup> work?

Rapi**Task**<sup>Zero</sup> reconstructs information on software execution behavior by matching branch trace information collected from the hardware (which must support this) with a control flow graph produced from a disassembly of the software binary.

Having matched this data, a reconstructed branch trace is created, which can be used to analyze the scheduling behavior of the executable code while it ran.

The branch trace is a crucial component of the analysis process and this must be available in the existing development environment through the CPU and/or external hardware being used.



Rapi**Task**<sup>Zero</sup> verification process

## Key features

#### Task-level timing analysis

- Analyze task-level timing metrics directly from object code
- Calculation of system-level scheduling metrics and related data:
  - · Response time
  - Periodicity
  - Jitter
  - · CPU utilization (CPU load)
  - Fragmentation
- · RTOS-independent scheduling visulization

#### Language support


- · Any language that targets machine code
- Mixed source languages

#### Supported platforms

- It must be possible to produce and collect branch trace information from the platform during program execution
- It must be possible to observe context switch information from executables on the platform
- Platform Support Package required to interface between RapiTask<sup>Zero</sup> and platform (see *Platform Support Packages*)
- To assess whether a Platform Support Package is available for your platform, see the compatibility tab on our RapiTask<sup>Zero</sup> product page
- We can develop additional Platform Support Packages to support Rapi**Task**<sup>Zero</sup> analysis for compatible platforms

#### Integration support

- Automatable testing environment
- Support for very large code bases
- No library/run-time dependencies or dynamic memory requirements
- Shared integration with other zero footprint RVS tools
- Multicore support (depending on hardware support)



Identify rare timing events such as priority inversions

#### Integrated testing environment


- Invocation timeline charts to help understand timing behavior at a glance
- Custom task coloring
- Hide tasks
- Jump to trace location
- Trace rewind feature to debug timing behavior
- Filter results by subprogram
- Code viewer:
  - View object code alongside source code, where available
- Database-like search function
- · Multi-user testing environment

#### Compatibility

- Runs on host operating systems
  - Windows® 7+ and Windows Server® 2008 R2+
  - Linux<sup>®</sup> distributions including Ubuntu<sup>®</sup> and Red Hat<sup>®</sup>
- Results can be collected from systems without supported operating systems and transferred to a supported system for analysis

#### Licensing

- Enterprise license gives you access to new versions, support and maintenance
- One-year support and maintenance included in purchase price
- Single price for all features
- · Licenses transferrable across projects



Compare scheduling behavior of software running on different real-time operating systems

## Should I use Rapi**Task** or Rapi**Task**<sup>Zero</sup>?

Rapi**Task**<sup>Zero</sup> offers many benefits, but in some cases Rapi**Task** may be more appropriate for you. Consult Table 1 below to decide if Rapi**Task**<sup>Zero</sup> or Rapi**Task** is best for you. For more information, contact us at info@rapitasystems.com.

**Table 1.** Comparison of key Rapi**Task** and Rapi**Task**<sup>Zero</sup> features

Feature	RapiTask	RapiTask <sup>Zero</sup>
Works without source code	No	Yes
Works without instrumentation	No	Yes
Integration with development environment	Integration needed	No integration needed
Trace size and data processing time	Depends on applied instrumentation	Typically larger trace and longer data processing times
Supported platforms (target, data collection mechanism)	Flexible, almost any platform supported	Requirements on platform (branch trace and context switch information must be available), PSP needed

## Platform Support Packages

To enable Rapi**Task**<sup>Zero</sup> analysis on a specific platform, Platform Support Packages (PSPs) are needed for Rapi**Task**<sup>Zero</sup> to interface with that platform in order to do the following:

- Convert the specific format of native branch traces generated by the platform into a format that Rapi**Task**<sup>Zero</sup> understands and can use for subsequent analysis.
- Disassemble the object code to understand the structure and control flow of the code so this can be used for subsequent Rapi**Task**<sup>Zero</sup> analysis.

Each PSP is designed to support various components of a platform. These include:

- The compiler(s) used to generate executables to be analyzed by RapiTask<sup>zero</sup>
- The instruction set of object code to be analyzed by Rapi**Task**<sup>Zero</sup>
- The native branch trace format generated from the platform – this depends on the mechanism used to generate branch traces, which may be the target hardware (or simulator) or a third-party device e.g. debugger.
- The real-time operating system on which executables to be analyzed by RapiTask<sup>Zero</sup> are to be run.

Different PSPs are needed to support analysis by Rapi**Task**<sup>Zero</sup> when any of the above items are different between two platforms. PSPs that support Rapi**Task**<sup>Zero</sup> analysis also support analysis by Rapi**Cover**<sup>Zero</sup> and Rapi**Time**<sup>Zero</sup>. For more information on how Zero-footprint PSPs support analysis by zero-footprint R**VS** tools including Rapi**Task**<sup>Zero</sup>, see our Requirements for zero-footprint RVS analysis Technical note.

To see whether we have already developed PSPs compatible with the components on your platform, see the <u>compatibility tab on our Rapi**Task**<sup>Zero</sup> product page</u>. If we have not yet developed PSPs compatible with one or more components of your platform, we may be able to develop them. For more information, contact us at <u>info@rapitasystems.com</u>.





## About Rapita

Rapita Systems provides on-target software verification tools and services globally to the embedded aerospace and automotive electronics industries.

Our solutions help to increase software quality, deliver evidence to meet safety and certification objectives and reduce costs.

#### Find out more

A range of free high-quality materials are available at: <a href="mailto:rapitasystems.com/downloads">rapitasystems.com/downloads</a>

#### SUPPORTING CUSTOMERS WITH:

Tools	Services	Multicore verification
Rapita <b>Verification Suite</b> :	V&V Services	CAST-32A Compliance
Rapi <b>Test</b>	Integration Services	Multicore Timing Solution
Rapi <b>Cover</b>	Qualification	
Rapi <b>Time</b>	SW/HW Engineering	
Rapi <b>Task</b>	Compiler Verification	

## Contact

#### Rapita Systems Ltd.

Atlas House York, UK YO10 3JB

+44 (0)1904 413945

#### Rapita Systems, Inc.

41131 Vincenti Ct. Novi, Mi, 48375 USA

+1 248-957-9801





linkedin.com/company/rapita-systems



info@rapitasystems.com